



MATERIAL SAFETY DATA SHEET

Information Telephone Number (973) 772-5252

ALL CHEMICAL EMERGENCIES

1-800-424-9300 - USA

1-703-527-3887 - International

Issue Date: 12/2010

Page 1

SECTION I - PRODUCT IDENTIFICATION

Product Code: Alexander, Alicon, Nury, Accent, Starlight, Mountain, Tropical, Sparkle, Spray Chip2, Custom
Trade Name: **SAFASIL**
Product Class: N/A
C.A.S. Number: Mixture

SECTION II - INGREDIENTS

<u>Ingredients</u>	<u>CAS#</u>	<u>Max. Content</u>	<u>Exposure Limits</u>
Galaxy Granules	N/A	Proprietary	N/A
Hazardous:			
Hexamethyldisilazane	999-97-3	25	35 PPM
Methyltrimethoxysilane	1185-55-3	1-5	N/A
Non-Hazardous:			
ME-Dimethoxy/STPD Polydime-Siloxane	68037-58-1	60-80	N/A
Dimethylpolysiloxane	63148-62-9	10-30	N/A
Tetramer Treated Fumed Silica	68583-49-3	10-30	15 MG/M3

SECTION III - PHYSICAL DATA

Boiling Point:	N/A	Vapor Density:	N/A
Specific Gravity (water=1):	1.05	Vapor Pressure:	N/A
Solubility in Water:	Insoluble	Reactivity in Water:	None
Appearance:	Solid with colored particles	V.O.C. Excl H2O:	<38
% Volatile by volume:	<3.60	Odor:	Ammonia
Solubility in Organic Solvent:	Partial, Toluene		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flammability Class:	N/A	Flash Point:	N/A
UEL:	N/A	LEL:	N/A

- EXTINGUISHING MEDIA: Any suitable for fire in surrounding area
- SPECIAL FIRE FIGHTING PROCEDURE: None known.
- UNUSUAL FIRE & EXPLOSION HAZARDS: None known.

SECTION V - HEALTH HAZARD DATA

Chronic: Not established Acute: None Known
 - SIGNS AND SYMPTOMS OF EXPOSURE: N/A
 - MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Not established

- NATIONAL TOXICOLOGY PROGRAM: ___YES ___x_NO
 - IARC MONOGRAPHS: ___YES ___x_NO
 - OSHA: ___YES ___x_NO

- PRIMARY ROUTE(S) OF ENTRY:
 1. Inhalation - Cause mild respiratory irritation. 2. Eyes - Uncured product contact irritates eyes.

SECTION VI - REACTIVITY DATA

STABILITY: ___Unstable ___x_Stable
 HAZARDOUS POLYMERIZATION: ___May occur ___x_May NOT occur
 INCOMPATIBILITY: None Known
 CONDITIONS TO AVOID: Vapor and/or liquid react with water to form ammonia.
 HAZARDOUS THERMAL DECOMPOSITION PRODUCTS/COMBUSTION PRODUCTS:
 Carbon Monoxide, Carbon Dioxide, Silicon Dioxide, Methanol, Ammonia.

SECTION VII - SPILL OR LEAK PROCEDURES

- STEPS TO TAKE IN CASE MATERIAL IS RELEASED OR SPILLED:
 Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified.

-WASTE DISPOSAL METHOD:
 Dispose of waste according to Federal EPA and local regulation (800-424-9346 or 202-382-3000).

- PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:
 Keep container closed when not in use. Avoid contact with skin and eyes. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the fingertips, nails and cuticles. Residual sealant may remain on fingers for several days and transfer to lenses and cause severe eye irritation. Use mechanical ventilation to stay below TLV of 25 ppm ammonia. Product releases methanol during application and curing. (methanol TLV=200 ppm). Product releases ammonia during application and curing. Uncured product contact irritates eyes. Uncured product contact may irritate skin.

SECTION VIII - SPECIAL PROTECTION INFORMATION

- RESPIRATORY PROTECTION: Use in well ventilated area.
 - VENTILATION: General ventilation is required during normal use
 - PROTECTIVE GLOVES: Cloth gloves.
 - EYE PROTECTION: Safety glasses.
 - OTHER PROTECTIVE EQUIP: None
 - WORK/HYGIENIC PRACTICES: Use of adequate ventilation

SECTION VIII - SPECIAL PROTECTION INFORMATION cont'd**- EMERGENCY & FIRST AID PROCEDURE:****EYE CONTACT:**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

INGESTION:

Rinse mouth with water several times.

SKIN:

To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. Get medical attention if irritation persists.

INHALATION:

Move person to fresh air.

SECTION IX - SUPPLEMENTAL INFORMATION

DOT Shipping Name:	N/A
DOT Hazard Class:	Not DOT regulated
DOT Label(S)	N/A
UN/NA Number:	N/A
Placards:	None
IATA:	N/A
IMO IMDG-code:	N/A
EMS No:	N/A
European Class: RID, ADR, RAR:	N/A
Harmonized Code (Schedule B):	3214.10.0000 Maestic Based Rubber
SARA Section 302:	None found
SARA (311, 312) Hazard Class:	Acute Health Hazard
SARA (313) Chemicals:	None

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of Safas Corporation's knowledge or obtained from sources believed by Safas Corporation to be accurate. Safas Corporation does not assume any responsibility for use or reliance upon same. Customers are encouraged to conduct their own tests. BEFORE USING ANY PRODUCT, READ ITS LABEL.